THIS REPORT HAS BEEN DELIMITED AND CLEARED FOR PUBLIC RELEASE UNDER DOD DIRECTIVE 5200.20 AND NO RESTRICTIONS ARE IMPOSED UPON ITS USE AND DISCLOSURE.

DISTRIBUTION STATEMENT A

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED.

## Armed Services Technical Information Agency

Because of our limited supply, you are requested to return this copy WHEN IT HAS SERVED YOUR PURPOSE so that it may be made available to other requesters. Your cooperation will be appreciated.

AD

NOTICE: WHEN GOVERNMENT OR OTHER DRAWINGS, SPECIFICATIONS OR OTHER DATA ARE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELATED GOVERNMENT PROCUREMENT OPERATION, THE U. S. GOVERNMENT THEREBY INCURS NO RESPONSIBILITY, NOR ANY OBLIGATION WHATSOEVER; AND THE FACT THAT THE GOVERNMENT MAY HAVE FORMULATED, FURNISHED, OR IN ANY WAY SUPPLIED THE SAID DRAWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARDED BY IMPLICATION OR OTHERWISE AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER PERSON OR CORPORATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.

Reproduced by DOCUMENT SERVICE CENTER KNOTT BUILDING, DAYTON, 2, 0HIO

UNCLASSIFIED

# AD No. 40 705 ASTIA FILE COPY

FILE COPY

Return to

ASTIA

DOCUMENT SERVICE CENTER

Knott Building, Dayton 2, Ohio

Attn: DSC-SD11

	Released on DSC Order No.	
1	15183	_
2.—		
3.—		
4.—		
7.—		-
8		_
L		

Return to: Library Spotion - DSC SL Service Division ASTIA Document Service Centeri First and Second State On Each Order Moonr-22528, NR 054-404

For the periods Blance 18-September 15, 1951, and September 16-December 15,18

The Ohio State University Research Foundation

PROTECTION OF ADLYBDENUM AGAINST CORROSION AT HIGH TEMPERATURES

### 1. EXPERIMENTAL RESEARCH IN PROGRESS:

a. Stability of the Binary Alloys Mo-Si, Mo-Ni and Mo-Al Against Oxidation.

Graded ingots of Mo-Si, Mo-Ni and Mo-Al have been obtained from Robert m. Parke of Battelle Memorial Institute. The stability of these alloys in oxidizing atmospheres are being investigated. The character and structure of the oxide formed on these alloys are being studied with the object of ascertaining the prerequisite physical and chemical characteristics of protective oxide films. The graded ingots are ground flat and then polished. The sample is oxidized and the surface of the alloy is examined metallographically, by x-ray analysis and chemically.

b: The Replacement Reaction in the Oxidation of Binary Alloys of Molybdenum.

In line with the philosophy that the engineering solution to proteotion of molybdemum against oxidation must come from within, that is by alloying, rather than by external coatings, work has been undertaken to explore the feasibility of the "replacement reaction" in developing protective exide scales on molybdenum. The principal requirement for the replacement reaction is a solute whose heat of formatics of the oxide is considerably higher than that for the solvent. Wagner\* gives an example of the replacement reaction in the exidation of cobrass. After one hour at temperature in air, an exide of copper was formed. Litter 3 hours at the same temperature in an inert atmosphere, the oxide was entirely converted to zino oxide since zino oxide is more stable than copper oxide. This, then, is a method of forming an oxide of the solute when the concentration of the solute is relatively low. This is attrative in molybdenum because any decrease in rate of oxidation comes about only at high concentrations of the solute atom. Although this method is probably not entirely self generating, it may be considered to be semi-self generating. It has the additional advantage of developing oxides of the solute at low concentrations at which they may be useful in the enhancement of mechanical properties. NAVY RESEARCH SECTION

C. Wagner - High Temperature Oxidation of Metals, Society for Metals, Cleveland, Ohio, 1951.

wey \* 78

SCIENCE DIVISION

REFERENCE DEPARTMENT LIBRARY OF CONGRESS The replacement reaction is to be studied in the systems Mo-Cr, Mo-Tr, Mo-Ll, and Mo-Si. All of these solute atoms have significantly higher heat of formation than does molybdenum oxide. The first alloy being studied is a Mo-1% Cr alloy. The procedure is to form molybdenum oxide, heat in an inert atmosphere until the oxide is converted to ohromium oxide, and finally to make oxidation tests in air on these samples.

o. The ffect of the Interstitial Solution of Carbon, Nitrogen and Oxygen on the Physical Properties of Molybdenum.

The effect of the solid solution of carbon, nitrogen and oxygen on the lattice parameters of molybdenum are being investigated in collaboration with staff members of Battelle Memorial Institute. The study of the effect of carbon has been completed and a Technical Report and a paper to be published in the Journal of Metals in February, has been completed.

At the present time, the effect of nitragen on the lattice parameter of molybdenum is being studied. Preliminary x-ray measurements show some promise of yielding tangible results.

### 2. THEORETICAL RESEARCH, PAPERS, AND TECHNICAL REPORTS

- a. A monograph to be published by the Engineering Experiment Station of The Ohio State University, is in preparation and will be completed in the near future. The title and authors are, "The Theoretical Prediction of the Phase Diagrams of Binary Alloys", by Rudolph Speiser, J.W. Spretnak and W.J. Taylor.
- b. "Interstitial Solid Solution in Body-centered Obio, Face-centered Cubic and Hexagonal Metals", by Rudolph Speiser, J.W. Spretnak and W.J. Taylor. This paper is to be submitted to the A.I.M.E.
- o. Technical Report No. 1, dated November 1951, "The Oxidation Characteristics of Molybdenum at High Temperature ", has already been submitted for distribution.

A paper entitled "The Oxidation Characteristics of Molybdonum at High Temperatures", by E.S. Jones, J.W. Spretnak and Rudolph Speiser, is being prepared for publication in the A.S.M.

d. Technical Report No. 2, January 1952, The Effect of Carbon on the Lattice Parameter of Molybdenum, is now being submitted for distribution.

A paper entitled "The Effect of Carbon on the Lattice Parameter of Molybdenum", by Rudolph Speiser, J.W. Spretnak, W.E. Few and R.M. Parke, is to be published in the February issue of the "Journal of Metals", and is to be presented at the A.I.M.E., Annual Convention in New York City in February.

Austiph Spainer

Associate Processor, Department of Metallurgy

J. M. Spaintrak

associate Professor, Department of Metallurgy

Chief Investigators:

## STATUS REPORT DISTRIBUTION LIST

Commanding Officer		Maddin, Dr. Robert	
Office of Naval Research		The Johns Hopkins University	/- \
Branch Office		Baltimore 18, Maryland	(1)
844 North Rush Street			
Chicago 11, Illinois		Mesick, Colenel B.S.	
Attention: Mr. J.A. Bryson	(2)	Office of the Chief of Ordnance, OPDTB	
Driggs, Dr. F.H.		Department of the Navy	
Vice President		Washington 25, D.C.	(1)
Fansteel Metallurgical Corporat	ion		
North Chicago, Illinois	(1)	Miller, E.C.	
		Metallurgy Division	
Duwes, Dr. Pol		Oak Ridge National Laboratory	
California Institute of Technol	OEV	Oak kidge, Tennessee	(1)
Pasadena 4, California	ິ(ໂ)		
,	(-/	Nachtman; John St.	
Gensamer, Dr. Maxwell		Eureau of Ordnance	
Professor of Metallurgy		Attention Rega	
School of mines		Washington 25, D.C.	(1)
Columbia University			,~,
New York 27, New York	(1)	Misbet, James D.	
now lorg by, now lorg	(1)	Research Laboratories	
Nowwood I J		General Electric Company	
Harwood, J.J.			(1)
Metallurgy Branch (Cede 423)		Schenectady, New York	(1)
Office of Naval Research		Occion in Champ	
Navy Department	(-)	Officer in Charge	
Washington 25, D,C.	(2)	Office of Naval Research	
		Navy #100	
Herty, Dr. C.H., Jr.		Fleet Post Office	101
Bothlehem Stoel Company		New York, New York	(2)
Bethlehem, Pa.	(1)		
		Ordnance Department	
Jackson, Eugene B., Chief		Springfield Armory	
Office of beronautical Intellig		Springfield, Mass.	1- 1
National Advisory Committee for Aeronautics		Attention: Mr. H.P. Langston	(1)
Rashington, D.C.	(1)	Parke, Robort M.	
		Battelle Memorial Institute	
Chief of Metallurgical Group		505 King Avenue	
Office of wir Research		Columbus 1, Ohio	(1)
MCRR (MCRRXSE)			
Wright-Patterson wir Force Base	•	Perella, F.	
Dayton, Ohio		United States Atomic Energy	
Attention: Mr. J.B. Johnston	(1)	Commission	
	•	Production Division	
Bureau of Ships (Code 343)		Defense Requirements Branch	
Navy Department		Washington 25, D.C.	(1)
Mashington 25, D.C.	(4)		
	,	Promisel, N.E.	
Loeb, Carl M., Jr.		Room 1466	
Vice President		Bureau of Meronautics	
Climax Molybdenum Company		Department of the Navy	
500 Fifth Avenue		washington 25, D.C.	(1)
New York 18, New York	(1)	wanter Page and a sign	\-/
	141		

Scott, Head Westinghouse Electric Company Manager, Metallurgical and Ceramic Department	
Research Laboratories East Pittsburgh, Pa.	(1)
Speiser, Dr. Rudolph Department of Metallurgy Ohio State University Columbus, Ohio	(1)
Timmons, George Climax Molybdenum Company 14410 Woodrow Wilson Avenue Detroit 3, Michigan	(1)
ONR London, /e/o Fleet P.O. Navy. 100, New York, N.Y. for transmittal to Armament Research Establishmen Metallurgical Branch Ministry of Supply	t
hoolwich S.E., 18, England	(1)
Applied Physics Laboratory Silver Spring, Maryland	(1)
Wright-Field Development Cente Wright-Patterson Air Force Bas Dayton, Ohic Attention: Materials Laborato Power Plant Labora	ry
Chief, Bureau of meronautics Navy Department	
washington 25, D.C. Attention: AE 31 TD 41	(1) (1)
Commander Naval wir Material Center Attn: Aeronautical Materials Aeboratory	(1)
Commander, NAMTC Pt. Mugu, California Attention: Eng. Dept.	(1)
Navy Liason Officer for Guide Missiles Jet Propulsion Laboratory California Institute of Technology	

Director Naval Research Laboratory beashington 25, D.C. Attention: Tech Info Officer **(5)** British Joint Service Mission 1800 K St., N.W. Washington, D.C. Attention: Miss Scott (1) National Advisory Committee for heronautics Lewis Flight Propulsion Laboratory Cleveland, Ohio (1)

## Armed Services Technical Information Agency

Because of our limited supply, you are requested to return this copy WHEN IT HAS SERVED YOUR PURPOSE so that it may be made available to other requesters. Your cooperation will be appreciated.

AD



NOTICE: WHEN GOVERNMENT OR OTHER DRAWINGS, SPECIFICATIONS OR OTHER DATA ARE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELACED GOVERNMENT PROCUREMENT OPERATION, THE U. S. GOVERNMENT THEREBY INCURS NO RESPONSIBILITY, NOR ANY OBLIGATION WHATSOEVER; AND THE FACT THAT THE GOVERNMENT MAY HAVE FORMULATED, FURNISHED, OR IN ANY WAY SUPPLIED THE SAID DRAWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARDED BY IMPLICATION OR OTHERWISE AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER PERSON OR CORPORATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.

Reproduced by DOCUMENT SERVICE CENTER KNOTT BUILDING, DAYTON, 2, 0 H10

UNCLASSIFIED